# This Page Is Inserted by IFW Operations and is not a part of the Official Record

# **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

# IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

# Intellectual roperty Network for Business

Home | Search | Order | Shopping Cart | Login | Help



### WO9933794A1:

### .ohgr.-CYCLOALKYL-PROSTAGLANDIN E2 DERIVATIVES

View Images (108 pages) | View Cart

Premium Data 1 PDF (~10300 KB) | TIFF (~8100 KB) | Fax | More choices...

digire i energia i en medotivo en mario en mario en mario.

Inventor(s): TANI, Kousuke, Ono Pharmaceutical Co., Ltd., Minase Research Institute, 1-1, Sakurai

3-chome, Shimamoto, Japan

OHUCHIDA, Shuichi, Ono Pharmaceutical Co., Ltd., Minase Research Institute, 1-1,

Sakurai 3-chome, Shimamoto, Japan

Applicant(s): ONO PHARMACEUTICAL CO., LTD., 1-5, Doshomachi 2-chome, Chuo-ku, Osaka-shi,

Osaka541-8526, Japan

Issued/Filed Dates: July 8, 1999 / Dec. 24, 1998

Application Number: WO1998JP0005863

IPC Class: C07C 405/00;

Designated JP, KR, US, European patent: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT,

Countries: LU, MC, NL, PT, SE

Abstract: .ohgr.-Cycloalkyl-prostaglandin E2 derivatives of formula (I) (wherein all symbols are as defined in the description); and non-toxic salts thereof, prodrugs thereof and cyclodextrin clathrates thereof. Compounds of formula (I) strongly bind on the EP2 subtype receptor. Therefore, they are useful for prevention and/or treatment of immunological diseases (autoimmune diseases, organ transplantation, etc.), asthma, abnormal bone formation, neuronal cell death, liver damage, abortion, premature birth or retina neuropathy of glaucoma, etc.

[Show "fr" Abstract]

Representative Image:

(1)

Attorney, Agent, or OHIE, Kunihisa;

Firm:

Foreign References: none

(No patents reference this one)

#### CLAIMS

1. An  $\omega$ -cycloalkyl-prostaglandin  $E_{\rm s}$  derivative of formula (I)

$$R^3$$
 $9$ 
 $8$ 
 $R^2$ 
OH
 $R^5$ 
 $R^4$ 
 $(CH_2)_n$ 

5

[wherein A is benzene, thiophene or furan ring; R! is hydroxy, Cl-6 alkoxy or a group of formula

10 NR<sup>10</sup>R<sup>11</sup>

(wherein  $R^{10}$  and  $R^{11}$  are each independently, hydrogen atom or C1-4 alky1));

R<sup>1</sup> is C1-4 alkylene, C2-4 alkenylene, -S-C1-4 alkylene, -S-C2-4 alkenylene or C1-4 alkylene-S-;

15  $R^3$  is oxo, methylene, halogen atom or a group of formula

#### R32-COO-

(wherein  $R^{32}$  is C1-4 alky1, C1-4 alkoxy, pheny1, pheny1-C1-4 alky1,  $R^{33}$ -OOC-C1-4 alky1 or  $R^{33}$ -OOC-C2-4 alkeny1 (wherein  $R^{32}$  is hydrogen

- 20 atom or C1-4 alkyl);
  R<sup>3</sup> is hydrogen atom, hydroxy or C1-4 alkoxy;
  R<sup>5</sup> is C1-8 alkyl, C2-8 alkenyl, C2-8 alkynyl, or C1-8 alkyl, C2-8
  alkenyl or C2-8 alkynyl substituted by 1-3 substituents selected
  from (1)-(5) below:
- 25 (1) halogen atom,
  - (2) C1-4 alkoxy,
  - (3) C3-7 cycloalkyl,

(4) phenyl or

(5) phenyl substituted by 1-3 substituents selected from halogen atom, C1-4 alkyl, C1-4 alkoxy, nitro or trifluoromethyl); n is 0-4;

5

10

20

•••••

is single bond or double bond, with the proviso that when the C8-9 position is double bond,  $R^3$  is a group of

#### R32-C00-

(wherein  $R^{32}$  is as defined above) and  $R^1$  is C1-6 alkoxy] or a non-toxic salt thereof or a cyclodextrin clathrate thereof.

- 15 2. A compound according to claim 1, wherein A is a benzene ring.
  - 3. A compound according to claim 1 or claim 2, wherein  $\mathbb{R}^2$  is C1-4 alkylene or C2-4 alkenylene.
  - 4. A compound according to claim 1 or claim 2, wherein R<sup>2</sup> is -S-Cl-4 alkylene, -S-C2-4 alkenylene.
- 5. A compound according to claim 1 or claim 2, wherein R<sup>3</sup> is C1-4 alkylene-S-.
  - A compound according to claim 3, which is
  - (1)  $(11 \alpha, 13E)$ -9-0xo-11,16-dihydroxy-17,17-propano-1,6-(p-phenylene)-2,3,4,5-tetranorprost-13-enoic acid,
- 30 (2) (11 α, 13E)-9-0xo-11,16-dihydroxy-17,17-propano-1,6-(p-phenylene)-2,3,4,5-tetranorprost-13,19-dienoic acid,
  - (3) (11  $\alpha$ , 13E)-9-0xo-11,16-dihydroxy-17,17-propano-19,20-methano-1,6-(p-phenylene)-2,3,4,5-tetranorprost-13-enoic acid,

(4) (11  $\alpha$ , 13E)-9-0xo-11,16-dihydroxy-17,17-propano-19-methyl-1,6-(p-phenylene)-2,3,4,5-tetranorprost-13-enoic acid,

- (5) (11  $\alpha$ , 13E)-9-0xo-11,16-dihydroxy-17,17-propano-1,6-(p-phenylene)-2,3,4,5,20-pentanorprost-13-enoic acid,
- 5 (6) (9 β, 11 α, 13E)-9-Chloro-11,16-dihydroxy-17,17propano-19,20-methano-1,6-(p-phenylene)-2,3,4,5tetranorprost-13-enoic acid,

13-enoic acid,

acid or

10

- (7) (9  $\beta$ , 11  $\alpha$ , 13E)-9-Chloro-11,16-dihydroxy-17,17-propano-19-methyl-1,6-(p-phenylene)-2,3,4,5-tetranorprost-
- (8) (9  $\beta$ , 11  $\alpha$ , 13E)-9-Chloro-11,16-dihydroxy-17,17-propano-1,6-(p-phenylene)-2,3,4,5,20-pentanorprost-13-enoic
  - (9) (9  $\beta$ , 11  $\alpha$ , 13E)-9-Chloro-11,16-dihydroxy-17,17-
- propano-1,6-(p-phenylene)-2,3,4,5-tetranorprost-13,19-dienoic acid or a methyl ester thereof.
  - 7. A compound according to claim 4, which is
  - (1) (11  $\alpha$ , 8Z, 13E)-9-Acetyloxy-11,16-dihydroxy-17,17-
- 2() propano-7-thia-1,6-(p-phenylene)-2,3,4,5,20-pentanorprost-8,13-dienoic acid methyl ester,
  - (2) (11 α, 8Z, 13E)-9-Acetyloxy-11,16-dihydroxy-17,17-propano-7-thia-1,6-(p-phenylene)-2,3,4,5-tetranorprost-8,13-dienoic acid methyl ester,
- 25 (3) (11 α, 8Z, 13E)-9-Acetyloxy-11,16-dihydroxy-17,17-propano-7-thia-1,6-(p-phenylene)-2,3,4,5-tetranorprost-8,13,19-trienoic acid methyl ester,
  - (4) (11  $\alpha$ , 8Z, 13E)-9-Acetyloxy-11,16-dihydroxy-19-methyl-
  - 17,17-propano-7-thia-1,6-(p-phenylene)-2,3,4,5-
- 30 tetranorprost-8,13-dienoic acid methyl ester or
  - (5) (11  $\alpha$ , 8Z, 13E)-9-Acetyloxy-11,16-dihydroxy-17,17-

propano-19,20-methano-7-thia-1,6-(p-phenylene)-2,3,4,5-tetranorprost-8,13-dienoic acid methyl ester.

- 8. A compound according to claim 4, which is
- 5 (1) (11 α, 13E)-9-0xo-11,16-dihydroxy-17,17-propano-7thia-1,6-(p-phenylene)-2,3,4,5,20-pentanorprost-13-enoic acid,
  - (2) (11  $\alpha$ , 13E)-9-0xo-11,16-dihydroxy-17,17-propano-7-thia-1,6-(p-phenylene)-2,3,4,5-tetranorprost-13-enoic acid,
- 10 (3) (11 α, 13E)-9-0xo-11,16-dihydroxy-17,17-propano-7thia-1,6-(p-phenylene)-2,3,4,5-tetranorprost-13,19-dienoic acid,
  - (4) (11  $\alpha$ , 13E)-9-0xo-11,16-dihydroxy-19-methyl-17,17-propano-7-thia-1,6-(p-phenylene)-2,3,4,5-tetranorprost-13-enoic acid or
  - (5)  $(11 \alpha, 13E)$ -9-0xo-11,16-dihydroxy-17,17-propano-19,20-methano-7-thia-1,6-(p-phenylene)-2,3,4,5-tetranorprost-13-enoic acid or a methyl ester thereof.

20

15

- 9. A compound according to claim 5, which is
- (1) (11  $\alpha$ , 13E)-9-0xo-11,16-dihydroxy-17,17-propano-6-thia-1,6-(p-phenylene)-2,3,4,5-tetranorprost-13-enoic acid or a methyl ester thereof.

25

10. A process for the preparation of a compound of formula (IA)

(wherein  $R^{32}$  is oxo, methylene or halogen atom and the other symbols are as defined in claim 1)

characterized by subjecting a compound of formula (IB)

$$R^{30}$$
 $R^2$ 
 $OH$ 
 $(IB)$ 
 $R^5$ 
 $(CH_2)_0$ 

5

(wherein  $R^{12}$  is C1-6 alkyl and the other symbols are as defined above)

to hydrolysis using an enzyme or hydrolysis under alkaline conditions.

10

11. A process for the preparation of a compound of formula (IC)

$$R^{30}$$
 $R^2$ 
 $OH$ 
 $OH$ 
 $(IC)$ 
 $R^5$ 
 $R^4$ 
 $(CH_2)_n$ 

(wherein  $R^{35}$  is as defined in claim 10, and the other symbols are as defined in claim 1)

characterized by subjecting to amidation a compound of formula (IA)

(wherein all symbols are as defined above) and a compound of formula (II)

HR10R11 (II)

(wherein all symbols are as defined above).

12. A process for the preparation of a compound of formula (IB-1)

10

5

(wherein  $R^{40}$  is hydrogen atom or hydroxy,  $R^{12}$  and  $R^{30}$  are as defined in claim 10, and the other symbols are as defined in claim 1) characterized by subjecting to deprotection under acidic conditions a compound of formula (III)

15

(wherein  $R^{41}$  is hydrogen atom or hydroxy protected by a group which may be removable under acidic conditions,  $R^{60}$  is a protective group

for hydroxy which may be removable under acidic conditions, and the other symbols are as defined above).

13. A process for the preparation of formula (IB-2)

(wherein  $R^{12}$  and  $R^{30}$  are as defined in claim 10,  $R^{42}$  is Cl-4 alkoxy, and the other symbols are as defined in claim 1) characterized by subjecting to 0-alkylation a compound of formula

(wherein all symbols are as defined above).

15

5

10

(IB-3)

14. A process for the preparation of a compound of formula (ID)

(wherein R<sup>12</sup> is as defined in claim 10, R<sup>32</sup> is as defined in claim 1, and the other symbols are as defined in claim 1) characterized by subjecting to deprotection under acidic conditions a compound of formula (IV)

$$R^{32}$$
-COO  $R^{2}$   $OR^{60}$  (IV)  $R^{43}$   $(CH_2)_0$ 

10

(wherein,  $R^{43}$  is hydrogen atom, hydroxy protected by a group which may be removable under acidic conditions or C1-4 alkoxy,  $R^{60}$  is as defined in claim 12, and the other symbols are as defined above).

# INTERNATIONAL SEARCH REPORT

Internal Application No PCT/JP 98/05863

A. CLASSIF	CO7C405/00	·	
According to	International Patent Classification (IPC) or to both national ctas	sification and IPC	
B. FIELDS			
Minimum co IPC 6	cumentation searched (classification system followed by classification sys	ication symbols)	
	ion searched other than minimum documentation to the extent ti		
Electronic da	ata page consulted during the international search (name of dat	a base and, where practical, search terms used	
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT		
Category 1	Citation of document, with indication, where appropriate, of the	Relevent to daim No.	
Υ	US 4 132 738 A (KLUENDER HAROLD C ET AL) 2 January 1979 cited in the application see claims		1-14
Y	V. KOZMIK ET AL.: "SYNTZHETIC OF PROSTAGLANDINS F2ALPHA ANO COLLECTION OF CZECHOSLOVAK CHE COMMUNICATIONS., vol. 59, 1994, pages 138-148, PRAGUE CS see page 139	E2" MICAL	1-14
	ther documents are listed in the continuation of box C	X Falent family members are lister	d in annex.
A' decun cons "E" earlief filing "L" docum which chain "O" docum other	nent defining the general state of the lart which is not idered to be of baricular relevance or document but published on or later the international date. The state of the state of the state of the state of another on or other special reason (as specified) ment referring to an oral disclosure, use, exhibition or or means.	'T" fater document published after the intor priority date and not in conflict with cited to understand the principle or to invention.  "X" document of particular relevance; the cannot be considered novel or cannot involve en inventive step when the discussion of the cannot be considered to involve an indocument is combined with one or incents, such combination being obvious the ert.  "3" document member of the same pater	h the application but neony underlying the claimed invention of be considered to locument is texen alone claimed invention inventive step when the nore other such doculous to a person skilled
	e actual completion of the international search	Date of mailing of the international s	earch report
<u> </u>	14 April 1999  I mailing address of the ISA  European Patent Office, P.B. 5818 Patentiaan 2  NL - 2280 HV Rijswajk	Authorized officer	

# INTERNATIONAL SEARCH REPORT

Information on patent family members

Internal al Application No PCT/JP 98/05863

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 4132738 A	02-01-1979	AU 515772	8 30-04-1981
03 4132/33		AU 4449379	A 30-08-1979
		CA 1191132	A 30-07-1985
		DE 2902699	A 30-08-1979
			A 01-02-1980
		FR 2473509	A 17-07-1981
		GB 2014989	A,B 05-09-1979
		GB 2099814	A,8 15-12-1982
		JP 1194012	C 12-03-1984
		JP 54115351	A 07-09-1979
		JP 58026910	8 06-06-1983
		SE 441673	B 28-10-1985
		SE 7813385	A 24-08-1979
		SE 453990	8 21-03-1988
		SE 8303910	
		SE 453830	B 07-03-1988
		SE 8303911	A 08-07-1983
		SE 445109	
		SE 8303912	
		US 4833157	
		U\$ 4331688	
		US 4415592	
		US 4742080	_
		US 4275224	A 23-06-1981